

GUY-RAYMOND

NEW • NEU • NOUVEAU • NUEVO



GRX65	Chrome
GRX65	Chrom
GRX65	Chromé
GRX65	Cromado

GRX6518 & GRX6528 CHROME CASTOR

SPECIFICATION CASTOR TYPE

Swivel
MATERIALS
 Castor PA
 Soft Tyre PUR
 Wheel Trim Chrome Plated ABS
STANDARD COLOURS
 Black
STANDARDS
 EN 12528

TECHNISCHE DATEN ROLLEN TYP

Lenkrolle
MATERIAL
 Rollen PA
 Weiche Lauffläche PUR
 Radkappen ABS Verchromt
STANDARDFARBEN
 Schwarz
NORMEN
 EN 12528

SPECIFICATION TYPE DE ROULETTE

Pivotante
MATIERES
 Roulette PA
 Bandes Souples PUR
 Enjoliveurs ABS Chromé
COLORIS STANDARD
 Noir
NORMES
 EN 12528

ESPECIFICACION TIPO DE RUEDA

Giratoria
MATERIALES
 Rueda Nilón
 Rodadura Blanda Poliuretano
 Tapacubos ABS Cromado
COLORES ESTANDAR
 Negro
NORMAS
 EN 12528



65




66




18 & 28



7



53



22.5



58



50kg



NO.

6000-1-ZH	-----	66	-
6003-1-ZH	Ø 11 x 22mm	69.5	22
6008-1-ZH	Ø 10 x 22mm	69.5	22
6001-1-ZH	Ø 10 x 30mm	66	30
6002-1-ZH	M10 x 15mm	72.5	15
6036-1-ZH	M12 x 20mm	72.5	20
6004-1-ZH	38 x 38mm Plate	74.5	-
6051-1-ZH	42 x 42mm Plate	74.5	-

**GRX 6518 CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

6000-1-Z-T1U	-----	66	-
6003-1-Z-T1U	Ø 11 x 22mm	69.5	22
6008-1-Z-T1U	Ø 10 x 22mm	69.5	22
6001-1-Z-T1U	Ø 10 x 30mm	66	30
6002-1-Z-T1U	M10 x 15mm	72.5	15
6036-1-Z-T1U	M12 x 20mm	72.5	20
6004-1-Z-T1U	38 x 38mm Plate	74.5	-
6051-1-Z-T1U	42 x 42mm Plate	74.5	-

**GRX 6518 CHROME
SOFT TYRE
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**



NO.

3900-1-ZH	-----	66	-
3903-1-ZH	Ø 11 x 22mm	69.5	22
3908-1-ZH	Ø 10 x 22mm	69.5	22
3901-1-ZH	Ø 10 x 30mm	66	30
3902-1-ZH	M10 x 15mm	72.5	15
3936-1-ZH	M12 x 20mm	72.5	20
3904-1-ZH	38 x 38mm Plate	74.5	-
3951-1-ZH	42 x 42mm Plate	74.5	-

**GRX 6528 CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

3900-1-Z-T1U	-----	66	-
3903-1-Z-T1U	Ø 11 x 22mm	69.5	22
3908-1-Z-T1U	Ø 10 x 22mm	69.5	22
3901-1-Z-T1U	Ø 10 x 30mm	66	30
3902-1-Z-T1U	M10 x 15mm	72.5	15
3936-1-Z-T1U	M12 x 20mm	72.5	20
3904-1-Z-T1U	38 x 38mm Plate	74.5	-
3951-1-Z-T1U	42 x 42mm Plate	74.5	-


**GRX 6528 CHROME
SOFT TYRE
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**




Ø 11 x 22mm




Ø 10 x 22mm




Ø 10 x 30mm




M10 x 15mm




M12 x 20mm



38 x 38 mm Plate



42 x 42mm Plate



GRX6518FB & GRX6528FB CHROME CASTOR

SPECIFICATION CASTOR TYPE

Wheel Brake
MATERIALS
 Castor PA
 Soft Tyre PUR
 Wheel Trim Chrome Plated ABS
STANDARD COLOURS
 Black
STANDARDS
 EN 12528

TECHNISCHE DATEN ROLLEN TYP

Radfeststeller
MATERIAL
 Rollen PA
 Weiche Lauffläche PUR
 Radkappen ABS Verchromt
STANDARDFARBEN
 Schwarz
NORMEN
 EN 12528

SPECIFICATION TYPE DE ROULETTE

Blocage de Roue
MATIERES
 Roulette PA
 Bandes Souples PUR
 Enjoliveurs ABS Chromé
COLORIS STANDARD
 Noir
NORMES
 EN 12528

ESPECIFICACION TIPO DE RUEDA

Freno de Rueda
MATERIALES
 Rueda Nilón
 Rodadura Blanda Poliuretano
 Tapacubos ABS Cromado
COLORES ESTANDAR
 Negro
NORMAS
 EN 12528



65




66



18 & 28



7



53



22.5



76



50kg



NO.

5100-1-ZH	-----	66	-
5103-1-ZH	∅ 11 x 22mm	69.5	22
5108-1-ZH	∅ 10 x 22mm	69.5	22
5101-1-ZH	∅ 10 x 30mm	66	30
5102-1-ZH	M10 x 15mm	72.5	15
5136-1-ZH	M12 x 20mm	72.5	20
5104-1-ZH	38 x 38mm Plate	74.5	-
5151-1-ZH	42 x 42mm Plate	74.5	-

**GRX 6518FB CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

5100-1-Z-T1U	-----	66	-
5103-1-Z-T1U	∅ 11 x 22mm	69.5	22
5108-1-Z-T1U	∅ 10 x 22mm	69.5	22
5101-1-Z-T1U	∅ 10 x 30mm	66	30
5102-1-Z-T1U	M10 x 15mm	72.5	15
5136-1-Z-T1U	M12 x 20mm	72.5	20
5104-1-Z-T1U	38 x 38mm Plate	74.5	-
5151-1-Z-T1U	42 x 42mm Plate	74.5	-

**GRX 6518FB CHROME
SOFT TYRE
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**



NO.

3800-1-ZH	-----	66	-
3803-1-ZH	∅ 11 x 22mm	69.5	22
3808-1-ZH	∅ 10 x 22mm	69.5	22
3801-1-ZH	∅ 10 x 30mm	66	30
3802-1-ZH	M10 x 15mm	72.5	15
3836-1-ZH	M12 x 20mm	72.5	20
3804-1-ZH	38 x 38mm Plate	74.5	-
3851-1-ZH	42 x 42mm Plate	74.5	-

**GRX 6528FB CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

3800-1-Z-T1U	-----	66	-
3803-1-Z-T1U	∅ 11 x 22mm	69.5	22
3808-1-Z-T1U	∅ 10 x 22mm	69.5	22
3801-1-Z-T1U	∅ 10 x 30mm	66	30
3802-1-Z-T1U	M10 x 15mm	72.5	15
3836-1-Z-T1U	M12 x 20mm	72.5	20
3804-1-Z-T1U	38 x 38mm Plate	74.5	-
3851-1-Z-T1U	42 x 42mm Plate	74.5	-


**GRX 6528FB CHROME
SOFT TYRE
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**




∅ 11 x 22mm




∅ 10 x 22mm




∅ 10 x 30mm




M10 x 15mm




M12 x 20mm



38 x 38 mm Plate



42 x 42mm Plate



GRX6518 & GRX6528 CHROME CASTOR

SPECIFICATION CASTOR TYPE

Swivel
MATERIALS
 Castor PA
 Soft Tyre PUR
 Wheel Trim Chrome Plated ABS
STANDARD COLOURS
 Black
STANDARDS
 EN 12529

TECHNISCHE DATEN ROLLEN TYP

Lenkrolle
MATERIAL
 Rollen PA
 Weiche Lauffläche PUR
 Radkappen ABS Verchromt
STANDARDFARBEN
 Schwarz
NORMEN
 EN 12529

SPECIFICATION TYPE DE ROULETTE

Pivotante
MATIERES
 Roulette PA
 Bandes Souples PUR
 Enjoliveurs ABS Chromé
COLORIS STANDARD
 Noir
NORMES
 EN 12529

ESPECIFICACION TIPO DE RUEDA

Giratoria
MATERIALES
 Rueda Nilón
 Rodadura Blanda Poliuretano
 Tapacubos ABS Cromado
COLORES ESTANDAR
 Negro
NORMAS
 EN 12529



65




66




18 & 28



7



53



22.5



58



50kg



NO.

6000-1-ZH
 6003-1-ZH
 6008-1-ZH
 6001-1-ZH

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

66
 69.5
 69.5
 66

-
 22
 22
 30

**GRX 6518 CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

6000-1-Z-T1U
 6003-1-Z-T1U
 6008-1-Z-T1U
 6001-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

66
 69.5
 69.5
 66

-
 22
 22
 30

**GRX 6518 CHROME
SOFT WHEEL
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**



NO.

3900-1-ZH
 3903-1-ZH
 3908-1-ZH
 3901-1-ZH

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

66
 69.5
 69.5
 66

-
 22
 22
 30

**GRX 6528 CHROME
HARD WHEEL
LAUFFLÄCHE HART
ROUES DURES
RODADURA DURA**



NO.

3900-1-Z-T1U
 3903-1-Z-T1U
 3908-1-Z-T1U
 3901-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

66
 69.5
 69.5
 66

-
 22
 22
 30

**GRX 6528 CHROME
SOFT WHEEL
LAUFFLÄCHE WEICH
BANDES SOUPLES
RODADURA BLANDA**



Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm



GRX6536 & GRX6541 CHROME CASTOR

SPECIFICATION CASTOR TYPE

Swivel
MATERIALS
 Castor PA
 Soft Tyre PUR
 Wheel Trim Chrome Plated ABS
STANDARD COLOURS
 Black
STANDARDS
 EN 12529

TECHNISCHE DATEN ROLLEN TYP

Lenkrolle
MATERIAL
 Rollen PA
 Weiche Lauffläche PUR
 Radkappen ABS Verchromt
STANDARDFARBEN
 Schwarz
NORMEN
 EN 12529

SPECIFICATION TYPE DE ROULETTE

Pivotante
MATIERES
 Roulette PA
 Bandes Souples PUR
 Enjoliveurs ABS Chromé
COLORIS STANDARD
 Noir
NORMES
 EN 12529

ESPECIFICACION TIPO DE RUEDA

Giratoria
MATERIALES
 Rueda Nilón
 Rodadura Blanda Poliuretano
 Tapacubos ABS Cromado
COLORES ESTANDAR
 Negro
NORMAS
 EN 12529



65




66




36 & 41



7



53



22.5



58



50kg

NO.

5400-1-ZH
 5403-1-ZH
 5408-1-ZH
 5401-1-ZH



 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm



69
 71
 71
 69



-
 22
 22
 28.5

**GRX 6536 CHROME
 HARD WHEEL
 LAUFFLÄCHE HART
 ROUES DURES
 RODADURA DURA**



NO.

5400-1-Z-T1U
 5403-1-Z-T1U
 5408-1-Z-T1U
 5401-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

69
 71
 71
 69

-
 22
 22
 28.5

**GRX 6536 CHROME
 SOFT TYRE
 LAUFFLÄCHE WEICH
 BANDES SOUPLES
 RODADURA BLANDA**



NO.

5600-1-ZH
 5603-1-ZH
 5608-1-ZH
 5601-1-ZH

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

69
 71
 71
 69

-
 22
 22
 28.5

**GRX 6541 CHROME
 HARD WHEEL
 LAUFFLÄCHE HART
 ROUES DURES
 RODADURA DURA**



NO.

5600-1-Z-T1U
 5603-1-Z-T1U
 5608-1-Z-T1U
 5601-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

69
 71
 71
 69

-
 22
 22
 28.5

**GRX 6541 CHROME
 SOFT TYRE
 LAUFFLÄCHE WEICH
 BANDES SOUPLES
 RODADURA BLANDA**



Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm



GRX6518BU & GRX6528BU CHROME CASTOR

SPECIFICATION CASTOR TYPE

Brake Unloaded
MATERIALS
 Castor PA
 Soft Tyre PUR
 Wheel Trim Chrome Plated ABS
STANDARD COLOURS
 Black
STANDARDS
 EN 12529

TECHNISCHE DATEN ROLLEN TYP

Lastabhängig Gebremst
MATERIAL
 Rollen PA
 Weiche Lauffläche PUR
 Radkappen ABS Verchromt
STANDARDFARBEN
 Schwarz
NORMEN
 EN 12529

SPECIFICATION TYPE DE ROULETTE

Autofreiné
MATIERES
 Roulette PA
 Bandes Souples PUR
 Enjoliveurs ABS Chromé
COLORIS STANDARD
 Noir
NORMES
 EN 12529

ESPECIFICACION TIPO DE RUEDA

Autofrenado
MATERIALES
 Rueda Nilón
 Rodadura Blanda Poliuretano
 Tapacubos ABS Cromado
COLORES ESTANDAR
 Negro
NORMAS
 EN 12529



65




66




18 & 28



7



53



22.5



58



50kg

NO.

8800-1-ZH
 8803-1-ZH
 8808-1-ZH
 8801-1-ZH



 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm



67
 70.5
 70.5
 67



-
 22
 22
 30

**GRX 6518BU CHROME
 HARD WHEEL
 LAUFFLÄCHE HART
 ROUES DURES
 RODADURA DURA**



NO.

8800-1-Z-T1U
 8803-1-Z-T1U
 8808-1-Z-T1U
 8801-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

67
 70.5
 70.5
 67

-
 22
 22
 30

**GRX 6518BU CHROME
 SOFT TYRE
 LAUFFLÄCHE WEICH
 BANDES SOUPLES
 RODADURA BLANDA**



NO.

6100-1-ZH
 6103-1-ZH
 6108-1-ZH
 6101-1-ZH

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

67
 70.5
 70.5
 67

-
 22
 22
 30

**GRX 6528BU CHROME
 HARD WHEEL
 LAUFFLÄCHE HART
 ROUES DURES
 RODADURA DURA**



NO.

6100-1-Z-T1U
 6103-1-Z-T1U
 6108-1-Z-T1U
 6101-1-Z-T1U

 Ø 11 x 22mm
 Ø 10 x 22mm
 Ø 10 x 30mm

67
 70.5
 70.5
 67

-
 22
 22
 30

**GRX 6528BU CHROME
 SOFT TYRE
 LAUFFLÄCHE WEICH
 BANDES SOUPLES
 RODADURA BLANDA**



Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm



GRX6536BU & GRX6541BU CHROME CASTOR

SPECIFICATION

CASTOR TYPE

Brake Unloaded

MATERIALS

Castor PA

Soft Tyre PUR

Wheel Trim Chrome Plated ABS

STANDARD COLOURS

Black

STANDARDS

EN 12529

TECHNISCHE DATEN

ROLLEN TYP

Lastabhängig Gebremst

MATERIAL

Rollen PA

Weiche Lauffläche PUR

Radkappen ABS Verchromt

STANDARDFARBEN

Schwarz

NORMEN

EN 12529

SPECIFICATION

TYPE DE ROULETTE

Autofreiné

MATIERES

Roulette PA

Bandes Souples PUR

Enjoliveurs ABS Chromé

COLORIS STANDARD

Noir

NORMES

EN 12529

ESPECIFICACION

TIPO DE RUEDA

Autofrenado

MATERIALES

Rueda Nilón

Rodadura Blanda Poliuretano

Tapacubos ABS Cromado

COLORES ESTANDAR

Negro

NORMAS

EN 12529



65




66



36 & 41



7



53



22.5



58



50kg

NO.

8100-1-ZH

8103-1-ZH

8108-1-ZH

8101-1-ZH



Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm



70

72

72

70



-

22

22

28.5

GRX 6536BU CHROME

HARD WHEEL

LAUFFLÄCHE HART

ROUES DURES

RODADURA DURA



NO.

8100-1-Z-T1U

8103-1-Z-T1U

8108-1-Z-T1U

8101-1-Z-T1U

Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm

70

72

72

70

-

22

22

28.5

GRX 6536BU CHROME

SOFT TYRE

LAUFFLÄCHE WEICH

BANDES SOUPLES

RODADURA BLANDA



NO.

4300-1-ZH

4303-1-ZH

4308-1-ZH

4301-1-ZH

Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm

70

72

72

70

-

22

22

28.5

GRX 6541BU CHROME

HARD WHEEL

LAUFFLÄCHE HART

ROUES DURES

RODADURA DURA



NO.

4300-1-Z-T1U

4303-1-Z-T1U

4308-1-Z-T1U

4301-1-Z-T1U

Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm

70

72

72

70

-

22

22

28.5

GRX 6541BU CHROME

SOFT TYRE

LAUFFLÄCHE WEICH

BANDES SOUPLES

RODADURA BLANDA



Ø 11 x 22mm

Ø 10 x 22mm

Ø 10 x 30mm





GUY-RAYMOND ENGINEERING COMPANY LIMITED

ROLLESBY ROAD • KING'S LYNN • NORFOLK. PE30 4LX ENGLAND

TEL: 01553 761401
FAX: 01553 767459
www. guy-raymond.com

TEL INT: +44 1553 761401
FAX INT: +44 1553 767459
E-Mail: info@guy-raymond.co.uk